

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Anthony E. BOLTON et al.

Title: TREATMENT OF
ENDOTHELIN-RELATED
DISORDERS

Patent. No.: 7,255,880 B2

Issue Date: 8/14/2007

Examiner: Ernst V. Arnold


Art Unit: 1616

Confirmation 8220
Number:

CERTIFICATE OF ELECTRONIC FILING
I hereby certify that this paper is being electronically filed with
the United States Patent and Trademark Office,
Alexandria, Virginia on the date below.

Cindy Murphy

(Printed Name)



(Signature)

10/30/07
(Date of Filing)

**REQUEST FOR CERTIFICATE OF CORRECTION FOR
PTO MISTAKE PURSUANT TO 37 C.F.R. § 1.322(a)**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Enclosed, in duplicate, is a Certificate of Correction, Form PTO-1050, for United States Patent Number 7,255,880 B2 issued August 14, 2007. The following Patent Office printing errors appear in the issued patent:

IN THE CLAIMS

The exact claim and line number where the errors in the issued patent are shown, as corrected below:

Claim 8, Column 10, line 5, please replace "0.33 litres/mm." with --0.33 litres/min--

Claim 9, Column 10, line 7, please replace "0.21 litres/mm" with --0.21 litres/min--

Claim 9, Column 10, line 8, please replace "0.27 litres/mm" with --0.27 litres/min.--

Applicant submits that the above changes would not constitute new matter, and correction thereof would not require reexamination.

Pursuant to 37 C.F.R. §1.322, Applicant requests that the enclosed Certificate of Correction be approved.

Although Applicant believes that no fee is required for this Request, the Commissioner is hereby authorized to charge any additional fees which may be required for this Request to Deposit Account No. 19-0741.

Respectfully submitted,

Date

10/03/07

By

V. Bansal

FOLEY & LARDNER LLP
Customer Number: 38706
Telephone: (650) 251-1139
Facsimile: (650) 856-3710

Vandana Bansal
Agent for Applicant
Registration No. 54,979

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,255,880 B2
APPLICATION NO. : 10/815,509
DATED : 8/14/2007
INVENTOR(S) : Anthony E. BOLTON; Arkady MANDEL; Duncan J. STEWART

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 8, Column 10, line 5, please replace "0.33 litres/mm." with --0.33 litres/min.--

Claim 9, Column 10, line 7, please replace "0.21 litres/mm" with --0.21 litres/min--

Claim 9, Column 10, line 8, please replace "0.27 litres/mm" with --0.27 litres/min.--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

1530 Page Mill Road
Palo Alto, California 94304-1125

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer.

U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.